

















































4	70 mm circular (P/N 9762)/Magstim, Flat spiral winding OD = 94 mm ID = 40 mm WC = 1.75 mm × 6 mm N = 15 turns				2.72	1.44	66.0	Own Drawing	2
5	Flat spiral winding OD = 123 mm ID = 66 mm WC = 1.75 mm × 6 mm N = 14 turns				2.74	1.74	87.4	Own Drawing	2
6	MST animal circular/ Magstim, Double layer flat spiral winding OD = 97.5 mm ID = 47 mm WC = 1.75 mm × 6 mm N = 9 turns/layer × 2 layers = 18 turns				2.89	1.53	72.7	Own Drawing	—
7	MST human circular (S/N MP39)/ Magstim, Double layer flat spiral winding OD = 120 mm ID = 44 mm WC = 1.75 mm × 6 mm N = 9 turns/layer × 2 layers = 18 turns				2.81	1.72	86.4	Own Drawing	—
9	H1/ Brainsway, Wire segments 4–12 cm in length WC = 1 mm × 1 mm				2.54	2.14	113	Redrawn from CAD. Electric current is employed instead of Coil Physic	5-10

20	MRI z-gradient coil parallel-current (Helmholz) mode, Coil diameter = 0.7 m Coil length = 0.8 m				0.043	3.49	273	Implemented as Numerical Coil	16
21	3-layer double coil/ experimental Stacked flat spiral winding OD = 30 mm ID = 8 mm WC = 0.7 mm × 7.1 mm (stranded) N = 13 turns/layer × 3 layers × 2 wings = 78 turns				2.75	0.87	5.07	2.5 mm discretization for A field.	
25	25 mm figure-8 (P/N 1165)/ Magstim, Flat spiral winding OD = 42 mm ID = 18 mm WC = 0.75 mm × 6 mm N = 14 turns/wing × 2 wings				2.88	0.96	6.46	Own Drawing	2,23
29	C-B60 butterfly/ MagVenture, Flat spiral winding OD = 75 mm ID = 35 mm WC = 1.75 mm × 11 mm (stranded) N = 5 turns/wing × 2 wings × 2 layers				2.13	1.33	12.9	From available CAD	26
30	MC-B70 butterfly/MagVenture Bent spiral winding OD = 108 mm ID = 24 mm WC = 3.5 mm × 6 mm (stranded) N = 10 turns/wing × 2 wings				2.82	1.35	13.9	From available CAD	26-28


31	70 mm figure-8 (P/N 9925, 3190)/ Magstim, Flat spiral winding OD = 87 mm ID = 56 mm WC = 1.75 mm × 6 mm N = 9 turns/wing × 2 wings				3.02	1.41	14.8	From available CAD	2,23,27
34, 34*	Iron-core figure-8/ Neuronetics, Core OD = 30.6 mm Core ID = 116 mm Wire wrapped around cross-section of the core N = 5 turns/wing (stranded)				4.91	1.49, 1.33*	17.3, 12.9*	From available CAD	31,32
36	Twin coil/ MagVenture, Stepped spiral winding OD = 119 mm ID = 40 mm H = 30 mm N = 15 turns/wing WC = 15 mm × 2.5 mm (stranded) Opening angle from origin = 100°				3.65	2.49	78.3	From available CAD	—
37	Double cone (P/N 9902)/ Magstim, Stepped spiral winding OD = 125 mm ID = 96 mm N = 7 turns/wing WC = 1.75 mm × 6 mm 100° between the wings				4.20	1.98	34.0	From available CAD	2
49	MRI z-gradient coil opposing-current (Maxwell) mode See #20 for coil dimension				0.008	2.07	240	Implemented as Numerical Coil	16

50	MRI x- (or y-) gradient (Golay) coil, Coil diameter = 0.7 m Coil length = 0.8 m				0.015	2.02	158	Implemented as Numerical Coil, separation is 0.1 m Theta: $\pi/3$	40
----	---	---	--	---	-------	------	-----	--	--------------------

† Electric field magnitude on brain surface plotted with color map normalized to field maximum (red). Arrows indicate field direction.

†† “Same current direction” means that the current direction is clockwise in all loops or is counterclockwise in all loops

Repeating the FEM simulation in SimNIBS for a spherical head model with identical properties as those used in Deng (Brain Stim 2013) shows a reasonable match between the focality and depth values reported in the original paper:



References

1. Tischler H, Wolfus S, Friedman A, Perel E, Pashut T, Lavidor M, et al. Mini-coil for magnetic stimulation in the behaving primate. *J Neurosci Methods*. 2011;194:242-251.
2. Hovey C, Jalinous R. The Guide to Magnetic Stimulation. 2006. <http://www.icts.uci.edu/neuroimaging/GuidetoMagneticStimulation2008.pdf>. Last accessed Nov. 17, 2011.
3. Kim D-H, Loukaides N, Sykulski JK, Georghious GE. Numerical investigation of the electric field distribution induced in the brain by transcranial magnetic stimulation. *IEE Proc Sci Meas Tech*. 2004;151:479-483.
4. Fadini T, Matthäus L, Rothkegel H, Sommer M, Tergau F, Schweikard A, et al. H-coil: induced electric field properties and input/output curves on healthy volunteers, comparison with a standard figure-of-eight coil. *Clin Neurophysiol*. 2009;120:1174-1182.
5. Roth Y, Amir A, Levkovitz Y, Zangen A. Three-dimensional distribution of the electric field induced in the brain by transcranial magnetic stimulation using figure-8 and deep H-coils. *J Clin Neurophysiol*. 2007;24:31-38.
6. Zangen A, Roth Y, Miranda PC, Hazani D, Hallett M, inventors; Transcranial magnetic stimulation system and methods. World Intellectual Property Organization, WO 2006/134598 A2, Dec. 21, 2006.
7. Levkovitz Y, Roth Y, Harel EV, Braw Y, Sheer A, Zangen A. A randomized controlled feasibility and safety study of deep transcranial magnetic stimulation. *Clin Neurophysiol*. 2007;118:2730-2744.
8. Rosenberg O, Shoenfeld N, Zangen A, Kotler M, Dannon PN. Deep TMS in a resistant major depressive disorder: a brief report. *Depress Anxiety*. 2010;27:465-469.
9. Rosenberg O, Zangen A, Stryjer R, Kotler M, Dannon PN. Response to deep TMS in depressive patients with previous electroconvulsive treatment. *Brain Stimul*. 2010;3:211-217.
10. Levkovitz Y, Harel EV, Roth Y, Braw Y, Most D, Katz LN, et al. Deep transcranial magnetic stimulation over the prefrontal cortex: evaluation of antidepressant and cognitive effects in depressive patients. *Brain Stimul*. 2009;2:188-200.
11. Salvador R, Miranda PC, Roth Y, Zangen A. High permeability cores to optimize the stimulation of deeply located brain regions using transcranial magnetic stimulation. *Phys Med Biol*. 2009;54:3113-3128.
12. Huang YZ, Sommer M, Thickbroom G, Hamada M, Pascual-Leonne A, Paulus W, et al. Consensus: new methodologies for brain stimulation. *Brain Stimul*. 2009;2:2-13.
13. Deng Z-D, Peterchev AV, Lisanby SH. Coil design considerations for deep-brain transcranial magnetic stimulation (dTMS). *Conf Proc IEEE Eng Med Biol Soc*. 2008:5675-5679.
14. Ishii K, Matsuzaka Y, Izumi S, Abe T, Nakazato N, Okita T, et al. Evoked motor response following deep transcranial magnetic stimulation in a cynomolgus monkey. *Brain Stimul*. 2008;1:300.
15. Crowther LJ, Marketos P, Williams PI, Melikhov Y, Jiles DC, Starzewski JH. Transcranial magnetic stimulation: improved coil design for deep brain investigation. *J Appl Phys*. 2011;109:07B314
16. Volkow ND, Tomasi D, Wang GJ, Fowler JS, Telang F, Wang R, et al. Effects of low-field magnetic stimulation on brain glucose metabolism. *NeuroImage*. 2010;51:623-628.
17. Talebinejad M, Musallam S. Effects of TMS coil geometry on stimulation specificity. *Conf Proc IEEE Eng Med Biol Soc*. 2010:1507-1510.
18. Ai Q, Li J, Li M, Jiang W, Wang B. A new transcranial magnetic stimulation coil design to improve the focality. *BMEI*. 2010:1391-1395.
19. Lin VW, Hsiao IN, Dhaka V. Magnetic coil design considerations for functional magnetic stimulation. *IEEE Trans Biomed Eng*. 2000;47:600-610.
20. Ren C, Tarjan PP, Popovic DB. A novel electric design for electromagnetic stimulation-the Slinky coil. *IEEE Trans Biomed Eng*. 1995;42:918-925.
21. Zimmermann KP, Simpson RK. "Slinky" coils for neuromagnetic stimulation. *Electroencephalogr Clin Neurophysiol*. 1996;101:145-152.
22. Krasteva VT, Papazov SP, Daskalov IK. Magnetic stimulation for non-homogeneous biological structures. *Biomed Eng Online*. 2002;1.
23. Salinas FS, Lancaster JL, Fox PT. Detailed 3D models of the induced electric field of transcranial magnetic stimulation coils. *Phys Med Biol*. 2007;52:2879-2892.
24. Rafiroiu D, Vlad S, Cret L, Ciupa RV. 3D modeling of the induced electric field of transcranial magnetic stimulation. *IFMBE Proceedings*. 2009;26:333-338.
25. Eaton H. Electric field induced in a spherical volume conductor from arbitrary coils: application to magnetic stimulation and MEG. *Med Biol Eng Comput*. 1992;30:433-440.

26. MagVenture A/S. Magnetic Stimulation Accessories CatalogueDenmark2010.
27. Thielscher A, Kammer T. Electric field properties of two commercial figure-8-coils in TMS: calculation of focality and efficiency. *Clin Neurophysiol.* 2004;115:1697-1708.
28. Lontis ER, Voigt M, Struijk JJ. Focality assessment in transcranial magnetic stimulation with double and cone coils. *J Clin Neurophysiol.* 2006;23:463-472.
29. Kim D-H, Georghiou GE, Won C. Improved field localization in transcranial magnetic stimulation of the brain with the utilization of a conductive shield plate in the stimulator. *IEEE Trans Biomed Eng.* 2006;53:720-725.
30. Hernandez-Garcia L, Hall T, Gomez L, Michielssen E. A numerically optimized active shield for improved transcranial magnetic stimulation targeting. *Brain Stimul.* 2010;3:218-225.
31. Epstein CM, Davey KR. Iron-core coils for transcranial magnetic stimulation. *J Clin Neurophysiol.* 2002;19:376-381.
32. Davey KR, Riehl ME. Suppressing the surface field during transcranial magnetic stimulation. *IEEE Trans Biomed Eng.* 2006;53:190-194.
33. Hsu KH, Durand DM. A 3-D differential coil design for localized magnetic stimulation. *IEEE Trans Biomed Eng.* 2001;48:1162-1168.
34. Xu G, Chen Y, Yang S, Wang M, Yan W. The optimal design of magnetic coil in transcranial magnetic stimulation. *Conf Proc IEEE Eng Med Biol Soc.* 2006;6:6221-6224.
35. Roth BJ, Maccabee PJ, Eberle LP, Amassian VE, Hallett M, Cadwell J, et al. In vitro evaluation of a 4-leaf coil design for magnetic stimulation of peripheral nerve. *Electroencephalogr Clin Neurophysiol.* 1994;93:68-74.
36. Ruohonen J, Ravazzani P, Grandori F. Functional magnetic stimulation: theory and coil optimization. *Bioelectrochem Bioenerg.* 1998;47:213-219.
37. Yang S, Xu G, Wang L, Geng D, Yang Q. Electromagnetic field simulation of 3D realistic head model during transcranial magnetic stimulation. *ICBBE.* 2007:656-659.
38. Yang S, Xu G, Wang L, Geng Y, Yu H, Yang Q. Circular coil array model for transcranial magnetic stimulation. *IEEE Trans Appl Supercond.* 2010;20:829-833.
39. Ruohonen J, Ollikainen M, Nikouline V, Virtanen J, Ilmoniemi RJ. Coil design for real and sham transcranial magnetic stimulation. *IEEE Trans Biomed Eng.* 2000;47:145-148.
40. Rohan M, Parow A, Stoll AL, Demopoulos C, Friedman S, Dager S, et al. Low-field magnetic stimulation in bipolar depression using an MRI-based stimulator. *Am J Psychiatry.* 2004;161:93-98.
41. Haus HA, Melcher JR. *Electromagnetic Fields and Energy.* New Jersey: Printice-Hall; 1989.
42. Jackson JD. *Classical Electrodynamics.* 3rd ed. New York: John Wiley & Sons, Inc.; 1999.